



Global Corrosion Solutions Ltd
26 Kings Hill Avenue
West Malling
Kent
ME19 4AE
t: +44 (0) 8451 308 803
e: sales@neutrarustuk.com
w: www.neutrarustuk.com

Global NR 661

Description

Global NR 661 is water based, non toxic, non hazardous rust converter, designed for priming steel and iron where metal cannot be blast cleaned. Providing long term protection in the harshest of environments, you can be assured that NR 661 will give your assets the protection required, with minimal fuss and man power.

Uses

Used for over 25 years by the MOD, NR 661 carries NATO and MOD stock numbers and has protected military assets where other products would have failed. Other uses are off shore oil and gas, shipping/ship repair, construction industries and private domestic/consumer applications. NR 661 is ideally suited to any area of steel/iron where minimal prep combined with excellent longevity is required.

Application

Simply decant NR 661 into a separate container, apply by brush, roller, paint pad or airless spray. Apply Neutrarust to the surface, taking extra care to work the product into any areas of heavy rust. Product will be touch dry in approx 10 minutes and can be over coated after 1 hour, although full curing time is 24hours.

Material -	NR 661 Rust Converter
Type of material -	Vinyl Acrylic Polymer Emulsion
Colour -	N/A
Finish -	Glossy
Solids by weight -	39%
Average wet film thickness -	75-100 microns
Average dry film thickness -	24-40 microns
Theoretical spreading rate -	8-10 sq.metres per kg
Drying times at 20°C -	
Hard dry -	24 Hours
Overcoating Interval -	1 hour or when touch dry
Relative humidity -	Up to 85%
Application -	Brush, roller, pad, airless spray
Substrate -	Suitably prepared/rusty steel
Flash point -	nil
VOC -	90 gm/litre

Thinning solvent -	N/A
Cleaning solvent -	Water
Storage life once opened -	12 months
Minimum ambient application Temperature -	5°C

Before using this product, read the label on the container and consult the material safety data sheet.

This is the data sheet it is for general guidance only. The information is believed to be accurate at time of printing. However, it is given without obligation.